



## SAFETY DATA SHEET

BLACKFAST 925W WATER BASED OIL WORKING SOLUTION (20%)

Page: 1

Compilation date: 01-07-2013

Revision date: 29/01/2018

Revision No: 3

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name:** BLACKFAST 925W WATER BASED OIL WORKING SOLUTION (20%)

**Product code:** 925W

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** PC1: Adhesives, sealants. PC24: Lubricants, greases, release products. PROC4: Use in batch and other process (synthesis) where opportunity for exposure arises PROC13: Treatment of articles by dipping and pouring ERC5: Industrial use resulting in inclusion into or onto a matrix

#### 1.3. Details of the supplier of the safety data sheet

**Company name:** Blackfast Chemicals Ltd.

Unit 5 Russell House

Molesey Road

Walton-on-Thames

Surrey

KT12 3PE

UK

**Tel:** +44 (0)208 339 7370

**Fax:** +44 (0)208 339 7371

**Email:** sales@blackfast.com

#### 1.4. Emergency telephone number

**Emergency tel:** +44(0)1865 407333

### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification under CLP:** This product has no classification under CLP.

#### 2.2. Label elements

**Label elements:** This product has no label elements.

#### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

# SAFETY DATA SHEET

BLACKFAST 925W WATER BASED OIL WORKING SOLUTION (20%)

Page: 2

## 3.2. Mixtures

### Hazardous ingredients:

BASEOIL - UNSPECIFIED - DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC

EINECS	CAS	PBT / WEL	CLP Classification	Percent
265-169-7	64742-65-0	-	-	10-20%

SULPHONATE MIX

-	-	-	Skin Irrit. 2: H315; Aquatic Chronic 4: H413	<5%
---	---	---	--	-----

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** No data available.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

[cont...]

## SAFETY DATA SHEET

BLACKFAST 925W WATER BASED OIL WORKING SOLUTION (20%)

Page: 3

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Polyethylene.

### 7.3. Specific end use(s)

**Specific end use(s):** PC24: Lubricants, greases, release products.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Workplace exposure limits:** No data available.

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Gloves (oil-resistant). Breakthrough time of the glove material > 8 hours.

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Environmental:** Prevent from entering in public sewers or the immediate environment.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Oil

**Colour:** Yellow-brown

[cont...]

# SAFETY DATA SHEET

BLACKFAST 925W WATER BASED OIL WORKING SOLUTION (20%)

Page: 4

**Evaporation rate:** No data available.

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Soluble

**Viscosity:** No data available.

**Boiling point/range°C:** No data available.

**Melting point/range°C:** No data available.

**Flammability limits %: lower:** No data available.

**upper:** No data available.

**Flash point°C:** 152

**Part.coeff. n-octanol/water:** No data available.

**Autoflammability°C:** No data available.

**Vapour pressure:** No data available.

**Relative density:** 0.98444

**pH:** 8.2

**VOC g/l:** Not applicable.

## 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicity values:** No data available.

### Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

[cont...]

## SAFETY DATA SHEET

BLACKFAST 925W WATER BASED OIL WORKING SOLUTION (20%)

Page: 5

### Section 12: Ecological information

#### 12.1. Toxicity

**Ecotoxicity values:** No data available.

#### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

#### 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

#### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

**Other adverse effects:** Negligible ecotoxicity.

### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Disposal of packaging:** May be reused following decontamination.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

### Section 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Not applicable.

#### 15.2. Chemical Safety Assessment

### Section 16: Other information

#### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

**Phrases used in s.2 and s.3:** H315: Causes skin irritation.

H413: May cause long lasting harmful effects to aquatic life.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive

[cont...]

## **SAFETY DATA SHEET**

BLACKFAST 925W WATER BASED OIL WORKING SOLUTION (20%)

**Page: 6**

and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.